


Examination is respectfully requested.

Respectfully submitted,

  
Shrinath Malur  
Registration No. 34,663  
Attorney for Applicants

MATTINGLY, STANGER & MALUR  
1800 Diagonal Rd., Suite 370  
Alexandria, Virginia 22314  
(703) 684-1120  
Date: November 28, 2001

05994731-11201  
T0827-TE246660

MARKED UP VERSION OF REPLACED  
PARAGRAPHS OF THE SPECIFICATION

Page 13, second full paragraph (lines 4-8), the marked-up paragraph is as follows:

Fig. 25 [is a photograph taken by a scanning electron microscope showing] illustrates a the prototype element having memory cells of 120 bits by repeatedly using the structure of the semiconductor element of Embodiment 6 of the present invention.

Pages 35 and 36, the paragraph bridging these pages from page 35, line 24 to page 36, line 12, the marked-up paragraph is as follows:

In Fig. 24, there is shown a structure in which four present structures are repeatedly arranged to have sixteen thin film regions. In Fig. 25, moreover, there is presented an [electron-microscope photograph] illustration of a prototype element which is prepared by arranging the present structures repeatedly and by arranging memory cells of 120 bits in a matrix. In the photograph, ten control electrodes run transversely. Six sets of three low-resistance regions run longitudinally (which correspond to the low-resistance regions 1 to 3 such that two of them correspond to the thin film regions 1 and 2 for one control electrode). There are

arranged  $10 \times 6 \times 2 = 120$  thin film regions. In this large-scale memory, the writing, erasing and reading methods can be accomplished basically in an identical manner.

05094731 112801  
T0827T T0246650